


# **CLARUS 700 from ZEISS**

HD Ultra-widefield Fundus Imaging with Fluorescein Angiography



# Expanding insights with ultra-wide imaging.

ZEISS CLARUS 700




Fluorescein angiograms with non-proliferative diabetic retinopathy, illustrating localized dilations of retinal capillaries (microaneurysms) and areas of peripheral non-perfusion.

### Unsurpassed image quality with fluorescein angiography.

CLARUS® 700 from ZEISS allows you to capture clear and accurate images from the macula to the far periphery, all with a single instrument that combines:

- Ultra-wide field of view
- True Color imaging from broad spectrum LED scans
- Exceptional resolution
- Fluorescein Angiography (FA)
- Advanced imaging features

ZEISS CLARUS 700 is a truly comprehensive imaging system developed for eye care specialists, helping deliver state-of-the-art care to their patients.



Montage fluorescein angiography with non-proliferative diabetic retinopathy, presenting the finest details at the foveal avascular zone and offering an exceptional rendering of the smallest microaneurysms across the image–from the fovea to the periphery.

#### **COLOR**

Capture True Color to assist with differential diagnosis.

#### **CLARITY**

See high-resolution details from the posterior pole to the periphery.

#### **COMPLETE**

Comprehensive in every way to maximize workflow efficiency.



# Now, ultra-wide fundus imaging with True Color and unmatched clarity.

In one complete system.

#### True Color Imaging

Powered by **Broad Line Technology**, the ZEISS CLARUS 700 captures images that closely resemble the coloration of the fundus as seen during clinical examination.



Unlike CSLO (confocal scanning laser), Broad Line Technology enables the combination of ultra-wide fields of view and a full range of retinal imaging modes to generate images with high dynamic range, contrast, resolution and natural colors through sequential illumination of broad-spectrum red, green and blue light emitting diodes.<sup>1</sup>

#### A Comprehensive Imaging System

Now you can manage all fundus imaging modalities without compromising on clarity—viewing high resolution in ultra-widefield.

- Image from the superior and inferior retina with less peripheral distortion
- Capture clear detail of vessel structure from early to late phase of fluorescein angiography
- AutoBright control automatically optimizes the angiogram series preserving change in signal

Combining ultra-widefield imaging with True Color, excellent clarity and a full suite of imaging modalities, ZEISS CLARUS 700 empowers you with features and capabilities that maximize workflow efficiency.


- Quickly and easily compare images over time and between image capture modes
- Provide a comfortable patient experience that ensures image integrity, with ergonomic chin and head rests to swivel motion and live IR preview

<sup>1</sup> Data on file.

## Complete suite of imaging modalities



True Color with RGB Channel Separation




Red channel: reveals the choroid in more detail. This may be helpful in visualizing choroidal lesions such as nevi or tumors.



Green channel: provides excellent contrast of the retina, especially of vasculature and hemorrhages.



Blue channel: increases visibility of anterior retinal layers, allowing easier visualization of retinal nerve fiber layers defects and epiretinal membranes.




Fluorescein Angiography of proliferative diabetic retinopathy






FAF-Green image of dry age-related macular degeneration



FAF-Blue image of geographic atrophy



Stereo image pairs can be captured for stereoscopic evaluation of the fundus.




External Eye

### True advancement in disease management.

By allowing you to visualize to the far periphery—and in multiple imaging modalities—ZEISS CLARUS 700 can document indications of ocular disease that occur in various regions of the eye and present differently depending on the imaging modality.

#### **Proliferative Diabetic Retinopathy**

Early phase fluorescein angiogram: Visualize macular ischemia, capillary nonperfusion and intraretinal microvascular abnormalities in excellent detail with high-resolution imaging.



### **Macular Telangiectasia**




Mid-phase fluorescein angiography image of an eye with macular telangiectasia. Wide-field fluorescein angiography captures leakage in the macula, its associated microaneurysms and non-perfusion in the far temporal periphery.

#### **Dry AMD**



FAF-Green image of an eye with central geographic atrophy in advanced Dry AMD, highlighting the loss of retinal pigment epithelium at the macula.




ZEISS CLARUS 700 ultra-wide fluorescein angiography shows you the extensive sea-fan neovascularization and retinal ischemia in the peripheral retina in an eye with proliferative sickle cell retinopathy.

# Integrated Diagnostic Imaging platform from ZEISS.

See the whole picture.

Key to meeting current challenges in eye care is the ability to capture, integrate and transform high-quality data into meaningful analyses that enhance practice workflow and improve patient care.


The ZEISS Integrated Diagnostic Imaging combines exam data from gold-standard devices like CLARUS ultra-widefield fundus imaging and CIRRUS™ HD-OCT from ZEISS and presents critical information from multiple sources into a single integrated point-of-view for more efficient and insightful treatment decisions.



# Advanced features to help you capture your best images.


#### PrecisionFocus


Quickly see the details in regions of interest by selecting where to optimize focus, without losing the macula focal point.



#### **AutoBright**

Spend time analyzing images rather than adjusting them. ZEISS CLARUS 700 automatically optimizes the brightness of the image sequence throughout the angiogram, while still preserving the change in signal. And with the extremely large dynamic range, you'll never be at risk of saturating the image.





Original

AutoBright

#### GazePoint

Find the patient's gaze angle quickly and accurately. CLARUS 700 uses AI to automatically find the optic nerve head and accurately derive the patient's gaze rather than relying on internal fixation.



# **Technical Specifications**

# CLARUS 700 from ZEISS

#### **Parameters**

Parameters			
Imaging Modes:  True Color (with Red, Green and Blue channel split)  Fluorescein Angiography Autofluorescence-Green Autofluorescence-Blue		■ External eye image (ocular surface) ■ Stereo	ce)
Field of View (measured fr	om the center of the eye):		
<ul><li>Widefield (one image)</li></ul>		133°	
■ Ultra-widefield (two images)		200°	
■ Montage (up to six images)		up to 267°	
Resolution:			
■ Optical		7.3 μm	
Minimum Pupil Diameter:		2.5 mm	
Working Distance:		25 mm (patient's eye to front lens)	
Compensation for ametropia:		- 24 D to + 20 D continuous	
Light Sources:			
■ Red LED		585 - 640 nm	
■ Green LED		500 - 585 nm	
■ Blue LED		435 - 500 nm	
■ Infrared laser diode		785 nm	
Automatic Operations:		Aquisition Speed:	
<ul><li>Auto-focus</li></ul>	Auto Montage	■ Live IR Preview	10 frames/second
■ Auto-gain	Auto-laterality	■ Image Capture	≤ 0.2 seconds
Instrument Specifications	s		
Instrument Weight:		50 lbs (22.7 kg)	
Instrument Dimensions (W x D x H):		15" (38.1 cm) x 18" (45.7 cm) x 27" (68.6 cm)	
Instrument Table:			
<ul><li>Description</li></ul>		Wheelchair accessible, electronic li	ift
■ Table Dimensions		37" (94 cm) x 27.5" (70 cm)	
■ Weight		81 lbs (37 kg)	
Instrument Input Power:			
Voltage and Mains Frequency		100-240VAC, 50/60 Hz	
■ Electrical Class		IEC 60601-1 Class I	
At-Instrument Computer			
Monitor:	22" Full HD MVA LCD with LED Backlight	Touch Screen:	Capacitive, Multi-Touch
	With ELD Backinght		
Resolution:	1920 x 1080	RAM:	32GB
	1920 x 1080		
	1920 x 1080 Intel® 6th Generation	RAM: Input/Output:	USB 3.0 x 3; RS-232 x 2; 1.5 kV
	1920 x 1080		USB 3.0 x 3; RS-232 x 2; 1.5 kV Isolated Gigabit Ethernet Port x 2;
Processor:	1920 x 1080  Intel® 6th Generation  Core i5-6500TE	Input/Output:	USB 3.0 x 3; RS-232 x 2; 1.5 kV Isolated Gigabit Ethernet Port x 2; HDMI; and DisplayPort
Processor:	1920 x 1080 Intel® 6th Generation		USB 3.0 x 3; RS-232 x 2; 1.5 kV Isolated Gigabit Ethernet Port x 2;
Resolution: Processor:  Hard Drive:  Dimensions (W x D x H):	1920 x 1080  Intel® 6th Generation  Core i5-6500TE	Input/Output:	USB 3.0 x 3; RS-232 x 2; 1.5 kV Isolated Gigabit Ethernet Port x 2; HDMI; and DisplayPort Windows 10



Download the ZEISS Image Library App directly from the App Store. Explore a wide selection of modalities such as ultra-widefield and OCTA.



CLARUS 700



#### Carl Zeiss Meditec, Inc.

5160 Hacienda Drive Dublin, CA 94568 USA www.zeiss.com/us/clarus700

www.zeiss.com/us/med



#### Carl Zeiss Meditec AG

Goeschwitzer Strasse. 51-52 07745 Jena **GERMANY** www.zeiss.com/clarus700 www.zeiss.com/med/contacts

The contents of the brochure may differ from the current status of approval of the product or service offering in your country. Please contact our regional representatives for more information. Subject to changes in design and scope of delivery and due to ongoing technical development. CLARUS 700 and CIRRUS-HDD-OCT are either trademarks or registered trademarks of Carl Zeiss Meditec AG or other companies of the ZEISS Group in Germany and / or other countries. CAM.11445 CZ VII/2019 United States edition: Only for sale in selected countries.